Setting up an online journal using OJS 3

OJS Dev Admin Access


http://ojsdev.ufs.ac.za


username:

password:

Administrator

- Creates Journal: Journal Title, Description, Path
 - Administration >> Hosted Journals >> Create Journal
- Setup of Journal
 - Journal >> Settings wizard
- Register person from journal as Journal Manager
 - Users & Roles: Search






Create Journal



You will automatically be enrolled as the manager of this journal. After creating a new journal, you will be redirected to its settings wizard, to complete the initial journal setup.

Journal title *

Journal description





Path *


This should be a single short word or acronym that identifies the journal. The journal's URL will be http://ojsdev.ufs.ac.za/index.php/path


★ Enable this journal to appear publicly on the site.


* Denotes required field











Last Name

du Preez

Login As

Merge User

Remove


First Name


Annamarie


Email

Edit User

Disable







Journal Manager

Setup Journal

Login

- Go to http://ojsdev.ufs.ac.za
- You have been registered as a Journal Manager for your journal
- Login with Username & Password
- Prepare journal for use:



ASSAf Journal


Current Archives

es About -


Home / Login Username * ina Password * Forgot your password? Remember my username and password

Register


Login



Journal >> Masthead




Journal >> Contact




Journal >> Sections



Website >> Appearance



Website >> Information



Website >> Archiving

Website Settings Appearance Information Archiving Languages Plugins Announcements

Enable Archiving

- Enable LOCKSS to store and distribute journal content at participating libraries via a LOCKSS Publisher Manifest page.
- Enable CLOCKSS to store and distribute journal content at participating libraries via a CLOCKSS <u>Publisher Manifest</u> page.

LOCKSS

Open Journal Systems supports the LOCKSS (Lots of Copies Keep Stuff Safe) system to ensure a secure and permanent archive for the journal. LOCKSS is open sour software developed at Stanford University Library that enables libraries to preserve selected web journals by regularly polling registered journal websites for newly published content and archiving it. Each archive is continually validated against other library caches, and if content is found to be corrupted or lost, the other cache or the journal is used to restore it.


Setting up LOCKSS support for Open Journal Systems does not need to take place until after publishing is fully underway, at which point follow these two steps:

Identify 6-10 libraries that will register and cache the journal. For example, turn to institutions where editors or Board members work and/or institutions already participating in LOCKSS. See the LOCKSS community.


CLOCKSS

Open Journal Systems also supports the CLOCKSS (Controlled Lots of Copies Keep Stuff Safe) system to ensure a secure and permanent archive for the Journal. CLOCKSS is based upon the open source LOCKSS software developed at Stanford University Library that enables libraries to preserve selected web journals by

Website >> Languages




Website >> Plugins




'Make a Submission" Block	This plugin provides a sidebar block with a "Make a Submission" link.		
ORCID Profile Plugin	Allows for the import of user profile information from ORCID.	Ø	
Google Analytics Plugin	Integrate OJS with Google Analytics, Google's web site traffic analysis application. Requires that you have already setup a Google Analytics account. Please see the Google Analytics site for more information.		
DOI	This plugin enables the assignment of the Digital Object Identifiers to issues, articles and galleys in OJS.	0	


Website >> Announcements



Settings >> Workflow >> Components




Settings >> Workflow >> Submission



- The submission has not been previously published, nor is it before another journal for consideration (or an explanation has been provided in Comments to the Editor).
- The submission file is in OpenOffice, Microsoft Word, or RTF document file format.

Settings >> Workflow >> Review




Settings >> Workflow >> Emails



Signature

The prepared emails that are sent by the system on behalf of the journal will have the following signature added to the end.




Bounce Address

Any undeliverable emails will result in an error message to this address.


Note: To activate this option, the site administrator must enable the allow_envelope_sender option in the OJS configuration file.

Additional server configuration may be required to support this functionality (which may not be possible on all servers), as indicated.


Settings >> Distribution >> Indexing




Settings >> Distribution >> Access



Settings >> Distribution >> Payments



Settings >> Distribution >> Permission




Journal Manager

Users



urrent Users			Q Search Add User
irst Name	Last Name	Username	Email
ojsadmin		ojsadmin	maraisl@ufs.ac.za
Annamarie	du Preez	annamarieojs	annamari@ufs.ac.za
Ina	Smith	ina	inacsmith@gmail.com
Email Edit User Die	sable Remove Merge User		



User Roles	•	Add Role	
Name	Designation		
ournal manager	JM		
ournal editor	JE		
Reviewer	R		
Author	AU	×	